


## 36V 48V 52V 60V 72V 20AH 25AH 30AH Triangle EBike Battery Packs Lithium Battery For Mountain E Bike

Our Product Introduction

for more products please visit us on [enookbattery.com](http://enookbattery.com)

### Basic Information

- Place of Origin: china
- Brand Name: enook
- Certification: CE
- Model Number: Lithium Ion Battery
- Minimum Order Quantity: 10
- Packaging Details: packed in carton
- Delivery Time: 15
- Payment Terms: TT PAYPAL
- Supply Ability: 1000pcs per month




### Product Specification

- Battery Name: Triangle Ebike Battery Pack
- Capacity: 13Ah 15Ah 16Ah 17Ah 17.5Ah Customized Capacity
- Discharge Working Temperature: -20~60°C
- Application: Electric Bike/ Bicycle/ Motorcycle/ Ebike
- Voltage: 36V/ 48V/ 52V/ 60V/ 72V Optional Voltage
- Storage Temperature: -10~40°C
- Case: Triangle
- Battery Type: Brand 18650 Cells
- Highlight: **60V 20AH eBike Battery Packs,  
72V 20AH eBike Battery Packs,  
Lithium Battery For Mountain E Bike**




### More Images



## Product Description

### Product Description:

|                       |                                                                                                                                                                                                              |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model Number          | 48V20Ah                                                                                                                                                                                                      |
| Battery Size          | 18650                                                                                                                                                                                                        |
| Place of Origin       | China                                                                                                                                                                                                        |
|                       | Guangdong                                                                                                                                                                                                    |
| Weight                | 5kg                                                                                                                                                                                                          |
| The charging ratio    | 1C                                                                                                                                                                                                           |
| The discharge rate    | 1C                                                                                                                                                                                                           |
| Storage Type          | Normal Storage                                                                                                                                                                                               |
| Anode Material        | LCO                                                                                                                                                                                                          |
| Application           | Power Tools, Home Appliances, BOATS, Golf Carts, SUBMARINES, Electric Bicycles/Scooters, electric vehicles, Electric Wheelchairs, Electric Power Systems, Uninterruptible Power Supplies, Electric Forklifts |
| Product name          | 48V20Ah                                                                                                                                                                                                      |
| Capacity              | 20Ah                                                                                                                                                                                                         |
| OEM/ODM               | yes                                                                                                                                                                                                          |
| Cycle life            | 2000 Times                                                                                                                                                                                                   |
| BMS                   | yes                                                                                                                                                                                                          |
| Battery cell          | 18650/21700                                                                                                                                                                                                  |
| Dimension             | customerization                                                                                                                                                                                              |
| Aplication            | E-vehicles                                                                                                                                                                                                   |
| Max discharge current | 1C                                                                                                                                                                                                           |
| Features              | power                                                                                                                                                                                                        |




#### Features:

Product Name: E Bike Battery  
Storage Temperature: -10~40°C  
Estimate Weight: Customized  
Color: Black  
Case: Triangle

Battery Type: Brand 18650 Cells

18650 Lithium ion battery



### Applications:

This e-bike battery is suitable for various occasions and scenarios, including:

Commuting: The enook Lithium ion Battery is perfect for daily commuting to work or school. With its 3.2V 202Ah Lithium ion battery, it has a long-lasting lifespan that can last for a long time. It's also available in different voltage options, including 36V, 48V, 52V, 60V, and 72V, so you can choose the right voltage for your e-bike.

Mountain biking: If you're into mountain biking, the enook Lithium ion Battery is a great choice. It has a 3.2V LiFePO4 Battery which is known for its high stability and safety. It can also withstand high temperatures of up to 60°C, making it perfect for outdoor adventures.

Long-distance cycling: For those who love to cycle long distances, the enook Lithium ion Battery is a must-have. It has a customized capacity of 13Ah, 15Ah, 16Ah, 17Ah, and 17.5Ah, which means it can last for a longer time without needing to recharge. Its black color also makes it sleek and stylish.

Overall, the enook Lithium ion Battery is a great investment for your e-bike. Its brand 18650 Cells ensure high quality and reliability, and its various capacity and voltage options make it suitable for different types of e-bikes. So, whether you're commuting, mountain biking, or cycling long distances, this e-bike battery is perfect for you.



#### Step1

Put the battery in the triangle bag



#### Step2

Open the felt part of the triangle bag and put it in the proper position of the car



#### Step3

Stick the felt according to the corresponding position and arrange it



# High Quality Battery Cell



| Brand        | Model       | Capacity | Discharge Rate | Max.Current | Brand             | Model       | Capacity | Discharge Rate | Max.Current |
|--------------|-------------|----------|----------------|-------------|-------------------|-------------|----------|----------------|-------------|
| EVE or DMEGC | 18650       | 2600mah  | 3C             | 7.8A        | LG                | M26         | 2600     | 4C             | 10A         |
| EVE or DMEGC | 18650       | 2900mah  | 3C             | 8.7A        | LG                | MG1         | 2900     | 3C             | 10A         |
| EVE or DMEGC | 18650       | 3500mah  | 3C             | 10.5A       | LG                | MG2         | 3000     | 7C             | 20A         |
| EVE or DMEGC | 21700       | 4500mah  | 3C             | 12A         | LG                | MH1         | 3200     | 3C             | 10A         |
| Samsung      | ICR1865022P | 2200     | 5C             | 10A         | LG                | F1L         | 3400     | 1.5            | 4.87A       |
| Samsung      | ICR1865026F | 2600     | 2C             | 5.2A        | LG                | MJ1         | 3500     | 3C             | 10A         |
| Samsung      | ICR1865025R | 2500     | 8C             | 20A         | LG                | M50T21700   | 5000     | 3C             | 15A         |
| Samsung      | ICR1865030Q | 3000     | 5C             | 15A         | Panasonic         | NCR18650PF  | 2900     | 3C             | 10A         |
| Samsung      | ICR1865029E | 2900     | 3C             | 10A         | Panasonic         | NCR18650B   | 3400     | 1.5C           | 4.87A       |
| Samsung      | ICR1865035E | 3500     | 3C             | 10A         | Panasonic (Sanyo) | NCR18650GA  | 3500     | 3C             | 10A         |
| Samsung      | INR2170050E | 5000     | 3C             | 15A         | 15A Sony          | US18650VTC4 | 2100     | 15C            | 30A         |
| LG           | MF1         | 2200     | 5C             | 10A         | 15A Sony          | US18650VTC5 | 2600     | 12C            | 30A         |
| LG           | HE2/HE4     | 2500     | 8C             | 20A         | 15A Sony          | US18650VTC6 | 3000     | 10C            | 30A         |



#### Customization:

Brand Name: enook  
Model Number: Lithium Ion Battery  
Place of Origin: china  
Certification: CE  
Minimum Order Quantity: 10  
Packaging Details: packed in carton  
Delivery Time: 15  
Payment Terms: TT PAYPAL  
Supply Ability: 1000pcs per month  
Estimate Weight: Customized  
Color: Black  
Battery Type: Brand 18650 Cells  
Storage Temperature: -10~40°C  
Voltage: 36V/ 48V/ 52V/ 60V/ 72V(Optional Voltage)  
Product Customization Services:  
[18650 Battery](#)  
[Lithium ion battery](#)  
[Customized Voltage option](#)

## PLEASE TELL US THE MODEL YOU WANT BATTERY OUTPUT CONNECTOR



PAS plug

UK plug

EU plug

AU plug

US plug

## BATTERY/OUTPUT CONNECTOR



### Support and Services:

Our E Bike Battery product comes with comprehensive technical support and services to ensure that you have the best possible experience with our product. Our team of experts is available to assist you with any technical issues or questions you may have about the product.

We offer the following technical support and services:

[Installation guidance and support](#)

[Troubleshooting assistance](#)

[Product maintenance and repair services](#)

[Warranty support](#)

Our technical support team is available to assist you via phone, email, and live chat. You can also access our online resources, including user manuals, FAQs, and troubleshooting guides.



**Changsha Enook Technology Co., Ltd**



+8617752866093



wendy@enooktech.com



enookbattery.com

ROOM 1717,JIEZUO BUILDING, NO. 828, SECTION 1, FURONG SOUTH ROAD, TIANXIN DISTRICT,  
CHANGSHA, HUNAN